



THE GALEON RANGE

2020

THE GALEON RANGE



300 FLY



305 HTS



305 OPEN



310 HTC



485 HTS



500 FLY



510 SKYDECK



550 FLY



335 HTS



365 HTS



360 FLY



370 HTC



560 SKYDECK



640 FLY



650 SKYDECK



680 FLY



400 FLY



405 HTL



420 FLY



425 HTS



700 SKYDECK



780 CRYSTAL



430 HTC



430 SKYDECK



460 FLY



470 SKY

Range

305 HTS



Galeon 305 HTS catches the eye with its thrilling, dynamic exterior and an open deck layout. Come on board to find a generous aft sun pad that doubles as extra storage or find respite in one of two lounge areas available on the main deck.

The manually operated sunroof bathes the interior in natural light – perfect for all those sunny summer days. Outside, two side decks lead to the bow area with a sundeck divided by a series of skylights. Select the practical, elongated stern platform, to provide an extra 80 cm of space for activities or a small dinghy. Down below the yacht offers accommodation for four passengers, a compact galley and a bathroom.

The saloon has an open layout where the bow rest area can be quickly transformed into a double bed, maximizing the available space during the day time. A walk-in aft cabin offers more privacy thanks to the fully sized doors separating it from the main living area. As with all third-generation Galeon yachts, plenty of natural light is provided in all areas thanks to the numerous windows and skylights. A selection of diesel and petrol engines are available with both single and twin installations.

Sport Cruiser line

The sporty and compact frame of the 305 HTS is quick to reveal its purpose of a perfect day cruiser. Enjoy the performance or simply spectate the surrounding scenery in the semi-open cockpit area. Find two comfortable cabins down below if you decide to stay the night.





Tight handling and sporty performance of the 305 HTS



The quick and nimble 305 HTS is a driver's boat



The aft sun pad holds extra storage



A large skylight divides the bow sundeck area



Quickly open the sunroof or side window to let the fresh air in



The 305 HTS is the perfect day cruiser



Find a wet bar, settee and aft sun pad on the main deck

Walnut
305 HTS



— Two extra berths when you need them

— The compact galley comes well equipped



— A double bed is available in the guest cabin

— The bathroom features a head and shower

305 HTS

ENJOYMENT PERSONIFIED

LAYOUTS



TECHNICAL SPECIFICATION

Length of the hull	[m]	8.99
Length overall	[m]	9,60 / 10,40*
Beam of the hull	[m]	2.94
Beam overall	[m]	2.99
Draft max ₁	[m]	0.72
Bridge clearance ₂	[m]	3.50
Height to transport	[m]	3.66
Fuel tank capacity	[dm ³]	415 or 600**
Water tank capacity	[dm ³]	200
Grey water tank	[dm ³]	86
Black water tank	[dm ³]	100
Mass of Light Craft Condition ₃	[kg]	5220
Maximum Load	[kg]	1745
Min. engine (-s) power	[kW/hp]	1 x 191 / 260
Max. engine (-s) power	[kW/hp]	2 x 261 / 350
Crew limit		9
Category		B

₁ - without propellers ₂ - Max. height from water line at draft min. ₃ - minimum mass with base engines
* - with extended stern platform ** - with extended tank



TECHNICAL SPECIFICATION

		300 FLY	305 HTS	305 OPEN	310 HTC	335 HTS	360 FLY	365 HTS	370 HTC	400 FLY	405 HTL	420 FLY	425 HTS	430 HTC
Length of the hull	[m]	8,99	8,99	8,99	8,99	9,98	9,99	9,99	9,99	11,03	11,99	11,79	11,99	11,79
Length overall	[m]	9,60 / 10,40*	9,60 / 10,40*	9,60 / 10,40*	9,60 / 10,40*	10,20 / 10,90*	11,37 / 11,75*	11,37 / 11,75*	11,37 / 11,75*	12,50	12,26 / 13,46*	12,50 / 13,25*	13,46	12,50 / 13,25*
Beam of the hull	[m]	2,94	2,94	2,94	2,94	3,30	3,43	3,43	3,43	3,95	3,84	4,10	3,84	4,10
Beam overall	[m]	2,99	2,99	2,99	2,99	3,35	3,48	3,48	3,48	4,00	3,90	4,16	3,90	4,16
Draft max ₁	[m]	0,72	0,72	0,72	0,72	0,86	0,79	0,8	0,79	TBD	0,79	0,80	TBD	0,80
Bridge clearance ₂	[m]	3,65	3,50	3,65	3,65	3,40	4,20	3,58	3,70	TBD	4,20	4,40	TBD	4,20
Height to transport	[m]	3,50	3,66	3,28	3,79	3,62	4,17	3,86	3,92	TBD	3,82	5,15	TBD	4,88
Fuel tank capacity	[dm ³]	415 or 600**	415 or 600**	415 or 600**	415 or 600**	630 or 750**	2 x 400	2 x 400	2 x 400	1000	950	2 x 550	TBD	2 x 550
Water tank capacity	[dm ³]	200	200	200	200	215	350	350	350	450	450	450	TBD	450
Grey water tank	[dm ³]	86	86	86	86	75 (or 0)	300	300	300	210	260	200	TBD	200
Black water tank	[dm ³]	100	100	100	100	60 (or 140)	150	150	150	120	140	150	TBD	150
Mass of Light Craft Condition ₃	[kg]	5350 (Cat. C) 5770 (Cat. B)	5220	5220	5350	5892	8040	7750	8040	TBD	9640	12070	TBD	12070
Maximum Load	[kg]	1745 (Cat. C) 1670 (Cat. B)	1745	1745	1745	1800	2500	2520	2500	TBD	2390	2740	TBD	2740
Min. engine (-s) power	[kW/hp]	1x191/260	1x191/260	1x191/260	1x191/260	2x165/225	2x147/200	2x165/225	2x147/200	TBD	2x165/225	2x191/260	2x165/225	2x191/260
Max. engine (-s) power	[kW/hp]	2x147/200	2x261/350	2x261/350	2x147/200	2x261/350	2x221/300	2x221/300	2x221/300	2x324/440	2x272/370	2x320/435	2x272/370	2x320/435
Crew limit		9 (Cat. C) 8 (Cat. B)	9	9	9	8	10	10	10	TBD	10	12	10	12
Category		C or B	B	B	C	B	B	B	B	B	B	B	B	B

₁ - without propellers ₂ - Max. height from water line at draft min. ₃ - minimum mass with base engines ₄ - With Beach mode, balconies down

TDB - To be determined * - with extended stern platform ** - with extended tank

		430 SKYDECK	460 FLY	470 SKYDECK	485 HTS	500 FLY	510 SKYDECK	550 FLY	560 SKYDECK	640 FLY	650 SKY	680 FLY	700 SKYDECK	780 CRYSTAL
Length of the hull	[m]	11,79	12,90	12,90	13,28	14,44	14,44	15,85	15,85	18,42	18,42	20,99	19,99	22,86
Length overall	[m]	12,50 / 13,25*	14,35	14,35	14,98	16,20	16,20	17,70	17,70	20,80	20,80	22,20	21,95	24,50
Beam of the hull	[m]	4,10	4,33	4,33	4,18	4,40	4,40	4,77	4,77	4,99	4,99	5,22	5,22	5,79
Beam overall	[m]	4,16	4,37 / 5,66 ₄	4,37 / 5,66 ₄	4,25	4,46 / 6,00 ₄	4,46 / 6,00 ₄	4,80	4,77	5,00 / 7,40 ₄	5,00 / 7,40 ₄	5,25	5,25	5,80
Draft max ₁	[m]	0,80	0,90	0,90	0,82	1,00	1,00	1,00	1,00	0,99	1,02	1,56	TBD	1,30
Bridge clearance ₂	[m]	4,20	4,83	4,83	5,10	5,10	5,10	5,20	5,20	7,55	7,31	7,85	TBD	7,30
Height to transport	[m]	5,13	5,89	TBD	5,20	6,30	6,30	6,38	6,23	8,95	8,27	9,20	TBD	9,54
Fuel tank capacity	[dm ³]	2 x 550	2 x 750	2 x 750	2 x 600	2 x 900	2 x 900	2 x 1100	2 x 1100	2 x 1875	2 x 1875	1600+1750	TBD	2x 2750
Water tank capacity	[dm ³]	450	650	650	450	650	650	400+300	400+300	800	800	800	TBD	1100+700
Grey water tank	[dm ³]	200	350	350	230	390	390	200	200	330	330	330	TBD	500
Black water tank	[dm ³]	150	200	200	120	240	240	200	200	300	300	300	TBD	500
Mass of Light Craft Condition ₃	[kg]	12070	16000	16000	13600	22250	22250	24000	24000	35500	37960	37250	TBD	54540
Maximum Load	[kg]	2740	3950	3950	3150	4270	4270	4500	4500	5500	6200	6190	TBD	9260
Min. engine (-s) power	[kW/hp]	2x191/260	2x320/435	2x320/435	2x 221/300	2x405/550	2x405/550	2x493/670	2x493/670	2x662/ 900	2x662/ 900	2x735/1000	2x735/1000	2x1176/1600
Max. engine (-s) power	[kW/hp]	2x320/435	2x441/600	2x441/600	2x320/435	2x533/725	2x533/725	2x533/725	2x533/725	2x882/ 1200	2x882/ 1200	2x882/1200	2x882/1200	2x1412/1920
Crew limit		12	12	12	12	12	12	12	12	15	15	10	TBD	18
Category		B	B	B	B	B	B	B	B	B	B	B	B	B

₁ - without propellers ₂ - Max. height from water line at draft min. ₃ - minimum mass with base engines ₄ - With Beach mode, balconies down

TDB - To be determined * - with extended stern platform ** - with extended tank

Galeon Yachts

Boote Weidenauer

**Hafenstraße 1 • 68623 Lampertheim • Telefon +49(0)6206 / 57094 • Telefax: +49(0)6206 / 4234
info@boote-weidenauer.de • www.boote-weidenauer.de**